

Peer-reviewed Publications

2012

Al-Kawas, F. H. (2012). Detecting recurrence after EMR of colon neoplasia: is confocal laser endomicroscopy the answer? Close but no cigar. *Gastrointest Endosc*, 75(3), 534–536.

Bertani, H., Pigo, F., Dabizzi, E., Frazzoni, M., Mirante, V. G., Manno, M., et al. (2012). Advances in Endoscopic Visualization of Barrett's Esophagus: The Role of Confocal Laser Endomicroscopy. *Gastroenterol Res Pract*, 2012, 493961.

Coron, E., Mosnier, J. F., Ahluwalia, A., Rhun, M. L., Galmiche, J. P., Tarnawski, A. S., et al. (2012). Colonic mucosal biopsies obtained during confocal endomicroscopy are pre-stained with fluorescein in vivo and are suitable for histologic evaluation. *Endoscopy*, 44(2), 148–153.

Galloro, G. (2012). High technology imaging in digestive endoscopy. *World J Gastrointest Endosc*, 4(2), 22–27.

Johnson, E. A., De Lee, R., Agni, R., Pfau, P., Reichelderfer, M., & Gopal, D. V. (2012). Probe-Based Confocal Laser Endomicroscopy to Guide Real-Time Endoscopic Therapy in Barrett's Esophagus with Dysplasia. *Case Rep Gastroenterol*, 6(2), 285–292.

Kalaitzakis, E., & Webster, G. J. (2012). Endoscopic diagnosis of biliary tract disease. *Curr Opin Gastroenterol*, 28(3), 273–279.

Krystallis, C., Masterton, G. S., Hayes, P. C., & Plevris, J. N. (2012). Update of endoscopy in liver disease: More than just treating varices. *World J Gastroenterol*, 18(5), 401–411.

Meining, A., Shah, R. J., Slivka, A., Pleskow, D., Chuttani, R., Stevens, P. D., et al. (2012). Classification of probe-based confocal laser endomicroscopy findings in pancreaticobiliary strictures. *Endoscopy*, 44(3), 251–257.

Neumann, H., Langner, C., Neurath, M. F., & Vieth, M. (2012). Confocal Laser Endomicroscopy for Diagnosis of Barrett's Esophagus. *Front Oncol*, 2, 42.

Neumann, H., Vieth, M., Atreya, R., Bernatik, T., Mudter, J., & Neurath, M. F. (2012). Inverted diverticulum or adenomatous lesion? Identification using confocal laser endomicroscopy. *Gastrointest Endosc*, 75(5), 1102–1103.

Neumann, H., Vieth, M., Atreya, R., Grauer, M., Siebler, J., Bernatik, T., et al. (2012). Assessment of Crohn's disease activity by confocal laser endomicroscopy. *Inflamm Bowel Dis, Epub ahead of print*.

Salvatori, F., Siciliano, S., Maione, F., Esposito, D., Masone, S., Persico, M., et al. (2012). Confocal Laser Endomicroscopy in the Study of Colonic Mucosa in IBD Patients: A Review. *Gastroenterol Res Pract*, 2012, 525098.

Samarasena, J. B., Nakai, Y., & Chang, K. J. (2012). Endoscopic ultrasonography-guided fine-needle aspiration of pancreatic cystic lesions: a practical approach to diagnosis and management. *Gastrointest Endosc Clin N Am*, 22(2), 169–185.

Shahid, M. W., Buchner, A. M., Coron, E., Woodward, T. A., Raimondo, M., Dekker, E., et al.

(2012). Diagnostic accuracy of probe-based confocal laser endomicroscopy in detecting residual colorectal neoplasia after EMR: a prospective study. *Gastrointest Endosc*, 75(3), 525–533.e1.

Shahid, M. W., Buchner, A. M., Heckman, M. G., Krishna, M., Raimondo, M., Woodward, T., et al. (2012). Diagnostic Accuracy of Probe-Based Confocal Laser Endomicroscopy and Narrow Band Imaging for Small Colorectal Polyps: A Feasibility Study. *Am J Gastroenterol*, 107(2), 231–239.

Shahid, M. W., Buchner, A. M., Raimondo, M., Woodward, T. A., Krishna, M., & Wallace, M. B. (2012). Accuracy of real-time vs. blinded offline diagnosis of neoplastic colorectal polyps using probe-based confocal laser endomicroscopy: a pilot study. *Endoscopy*, 44(04), 343–348.

Shieh, F. K., Drumm, H., Nathanson, M. H., & Jamidar, P. A. (2012). High-definition Confocal Endomicroscopy of the Common Bile Duct. *J Clin Gastroenterol*, 46(5), 401–406.

Smith, I., Kline, P. E., Gaidhane, M., & Kahaleh, M. (2012). A review on the use of confocal laser endomicroscopy in the bile duct. *Gastroenterol Res Pract*, 2012, 454717.

Ussui, V. M., & Wallace, M. B. (2012). Confocal Endomicroscopy of Colorectal Polyps. *Gastroenterology Research and Practice*, 2012, 1–6.

Wood, N. J. (2012). Diagnostic imaging: Probe-based confocal laser endomicroscopy aids the detection of residual colorectal neoplasia and small colorectal polyps. *Nat Rev Gastroenterol Hepatol*, 9(1).

2011

Buchner, A. M., Gomez, V., Heckman, M. G., Shahid, M. W., Achem, S., Gill, K. R., et al. (2011). The learning curve of in vivo probe-based confocal laser endomicroscopy for prediction of colorectal neoplasia. *Gastrointest Endosc*, 73(3), 556–560.

Chennat, J., Konda, V. J., Madrigal-Hoyos, E., Fernandez-Sordo, J., Xiao, S. Y., Hart, J., et al. (2011). Biliary Confocal Laser Endomicroscopy Real-Time Detection of Cholangiocarcinoma. *Dig Dis Sci*, 56(12), 3701–3706.

De Palma, G. - D. (2011). In-vivo characterization of DALM in ulcerative colitis with high-resolution probe-based confocal laser endomicroscopy. *World J Gastroenterol*, 17(5), 677–680.

Filoche, B., Prat, F., & Giovannini, M. (2011). probe-based Confocal Laser Endomicroscopy (pCLE) in digestive endoscopy - L'endomicroscopie confocale par minisonde (ECM) en endoscopie digestive. *Acta Endosc*, 41(4), 178–181.

Gaddam, S., Mathur, S. C., Singh, M., Arora, J., Wani, S. B., Gupta, N., et al. (2011). Images of the Month (Novel Probe-Based Confocal Laser Endomicroscopy Criteria and Interobserver Agreement for the Detection of Dysplasia in Barrett's Esophagus). *Am J Gastroenterol*, 106(11), 1888.

Gaddam, S., Mathur, S. C., Singh, M., Arora, J., Wani, S. B., Gupta, N., et al. (2011). Novel Probe-Based Confocal Laser Endomicroscopy Criteria and Interobserver Agreement for the Detection of Dysplasia in Barrett's Esophagus. *Am J Gastroenterol*, 106(11), 1961–1969.

Giovannini, M., Bories, E., Monges, G., Pesenti, C., Caillol, F., & Delpero, J. R. (2011). Results of a phase I-II study on intraductal confocal microscopy (IDCM) in patients with common bile duct (CBD) stenosis. *Surg Endosc*, 25(7), 2247–2253.

- Konda, V. J., Aslanian, H. R., Wallace, M. B., Siddiqui, U. D., Hart, J., & Waxman, I. (2011). First assessment of needle-based confocal laser endomicroscopy during EUS-FNA procedures of the pancreas. *Gastrointest Endosc*, 74(5), 992–1000.
- Kuiper, T., van den Broek, F. J., van Eeden, S., Wallace, M. B., Buchner, A. M., Meining, A., et al. (2011). New classification for probe-based confocal laser endomicroscopy in the colon. *Endoscopy*, 43(12), 1076–1081.
- Lacombe, F., Lavaste, O., & Senhadji, L. (2011). Diagnostic précoce du cancer du côlon (Early diagnosis of human colorectal cancer). *IRBM*, 32(2), 83–86.
- Lim, L. G., von Delius, S., & Meining, A. (2011). Cholangioscopy and Probe-Based Confocal Laser Endomicroscopy in the Diagnosis of an Unusual Liver Cyst. *Gastroenterology*, 141(4), e5–6.
- Liu, J. J., Madsen, K. L., Boulanger, P., Dieleman, L. A., Meddings, J., & Fedorak, R. N. (2011). Mind The Gaps: Confocal Endomicroscopy Showed Increased Density of Small Bowel Epithelial Gaps in Inflammatory Bowel Disease. *J Clin Gastroenterol*, 45(3), 240–245.
- Liu, J. J., Wong, K., Thiesen, A. L., Mah, S. J., Dieleman, L. A., Claggett, B., et al. (2011). Increased epithelial gaps in the small intestines of patients with inflammatory bowel disease: density matters. *Gastrointest Endosc*, 73(6), 1174–1180.
- Loeser, C. S., Robert, M. E., Mennone, A., Nathanson, M. H., & Jamidar, P. (2011). Confocal Endomicroscopic Examination of Malignant Biliary Strictures and Histologic Correlation With Lymphatics. *J Clin Gastroenterol*, 45(3), 246–252.
- Meining, A., Chen, Y. K., Pleskow, D., Stevens, P., Shah, R. J., Chuttani, R., et al. (2011). Direct visualization of indeterminate pancreaticobiliary strictures with probe-based confocal laser endomicroscopy: a multicenter experience. *Gastrointest Endosc*, 74(5), 961–968.
- Mennone, A., & Nathanson, M. H. (2011). Needle-based confocal laser endomicroscopy to assess liver histology *in vivo*. *Gastrointestinal Endoscopy*, 73(2), 338–344.
- Miehlke, S., Morgner, A., Aust, D., Baretton, G., & Madisch, A. (2011). Probe-based Confocal Laser Endomicroscopy in Double Balloon Enteroscopy. *Z Gastroenterol*, 49(12), 1529–1534.
- Neumann, H., Vieth, M., Atreya, R., Mudter, J., & Neurath, M. F. (2011). First description of eosinophilic esophagitis using confocal laser endomicroscopy. *Endoscopy*, 43 Suppl 2, E66.
- Neumann, H., Vieth, M., Atreya, R., Neurath, M. F., & Mudter, J. (2011). Prospective evaluation of the learning curve of confocal laser endomicroscopy in patients with IBD. *Histol Histopathol*, 26(7), 867–872.
- Neumann, H., Vieth, M., Langner, C., Neurath, M. F., & Mudter, J. (2011). Cancer risk in IBD: how to diagnose and how to manage DALM and ALM. *World J Gastroenterol*, 17(27), 3184–3191.
- Neumann, H., Vieth, M., Siebler, J., Bernatik, T., Neurath, M. F., & Boxberger, F. (2011). Fluorescein-aided endomicroscopy for detection of signet ring cell carcinoma. *Endoscopy*, 43 Suppl 2, E199–200.
- Pittayanon R, R. R. (2011). Role of Confocal Laser Endomicroscopy for the detection of early gastrointestinal malignancy. *Thai J Gastroenterology*, 12(1).

Shahid, M. W., Crook, J. E., Meining, A., Perchant, A., Buchner, A., Gomez, V., et al. (2011). Exploring the optimal fluorescein dose in probe-based confocal laser endomicroscopy for colonic imaging. *J Interv Gastroenterol*, 1(4), 166–171.

Sharma, P., Meining, A. R., Coron, E., Lightdale, C. J., Wolfsen, H. C., Bansal, A., et al. (2011). Real-time increased detection of neoplastic tissue in Barrett's esophagus with probe-based confocal laser endomicroscopy: final results of an international multicenter, prospective, randomized, controlled trial. *Gastrointest Endosc*, 74(3), 465–472.

Sumiyama, K., & Gostout, C. J. (2011). Clinical applications of submucosal endoscopy. *Current Opinion in Gastroenterology*, 27(5), 412–417.

van den Broek, F. J., van Es, J. A., van Eeden, S., Stokkers, P. C., Ponsioen, C. Y., Reitsma, J. B., et al. (2011). Pilot study of probe-based confocal laser endomicroscopy during colonoscopic surveillance of patients with longstanding ulcerative colitis. *Endoscopy*, 43(2), 116–122.

Waldner, M. J., Wirtz, S., Neufert, C., Becker, C., & Neurath, M. F. (2011). Confocal laser endomicroscopy and narrow-band imaging-aided endoscopy for in vivo imaging of colitis and colon cancer in mice. *Nat Protoc*, 6(9), 1471–1481.

Wallace, M., Lauwers, G. Y., Chen, Y., Dekker, E., Fockens, P., Sharma, P., et al. (2011). Miami classification for probe-based confocal laser endomicroscopy. *Endoscopy*, 43(10), 882–891.

2010

Atiq, M., Javle, M., Dang, S., & Lee, J. H. (2010). Cholangiocarcinoma: an endoscopist's perspective. *Expert Rev Gastroenterol Hepatol*, 4(5), 601–611.

Bajbouj, M., Vieth, M., Rosch, T., Miehlke, S., Becker, V., Anders, M., et al. (2010). Probe-based confocal laser endomicroscopy compared with standard four-quadrant biopsy for evaluation of neoplasia in Barrett's esophagus. *Endoscopy*, 42(6), 435–440.

Becker, V., Wallace, M. B., Fockens, P., von Delius, S., Woodward, T. A., Raimond, M., et al. (2010). Needle-based confocal endomicroscopy for in vivo histology of intra-abdominal organs: first results in a porcine model. *Gastrointest Endosc*, 71(7), 1260–1266.

Buchner, A. M., Shahid, M. W., Heckman, M. G., Krishna, M., Ghabril, M., Hasan, M., et al. (2010). Comparison of probe-based confocal laser endomicroscopy with virtual chromoendoscopy for classification of colon polyps. *Gastroenterology*, 138(3), 834–842.

De Palma, G. D., Staibano, S., Siciliano, S., Persico, M., Masone, S., Maione, F., et al. (2010). In vivo characterisation of superficial colorectal neoplastic lesions with high-resolution probe-based confocal laser endomicroscopy in combination with video-mosaicing: A feasibility study to enhance routine endoscopy. *Dig Liver Dis*, 42(11), 791–797.

Giovannini, M., Caillol, F., Bories, E., Pésenti, C., Monges, G., Viret, F., et al. (2010). Endomicroscopie confocale intra-ductale (EMID) : résultats d'une étude de phase I-II chez des patients présentant une sténose de la voie biliaire principale. *Cancéro digest*, 2(1).

Gomez, V., Buchner, A. M., Dekker, E., van den Broek, F. J., Meining, A., Shahid, M. W., et al. (2010). Interobserver agreement and accuracy among international experts with probe-based confocal

laser endomicroscopy in predicting colorectal neoplasia. *Endoscopy*, 42(4), 286–291.

Konda, V. J., Chennat, J. S., Hart, J., & Waxman, I. (2010). Confocal laser endomicroscopy: potential in the management of Barrett's esophagus. *Dis Esophagus*, 23(5), E21–E31.

Lord, J. D., Upton, M. P., & Hwang, J. H. (2010). Confocal endomicroscopic evaluation of colorectal squamous metaplasia and dysplasia in ulcerative colitis. *Gastrointest Endosc*, 73(5), 1064–1066.

Shahid, M. W., & Wallace, M. B. (2010). Endoscopic imaging for the detection of esophageal dysplasia and carcinoma. *Gastrointest Endosc Clin N Am*, 20(1), 11–24, v.

Wallace, M. B., & Kiesslich, R. (2010). Advances in endoscopic imaging of colorectal neoplasia. *Gastroenterology*, 138(6), 2140–2150.

Wallace, M. B., Meining, A., Canto, M. I., Fockens, P., Miehlke, S., Roesch, T., et al. (2010). The safety of intravenous fluorescein for confocal laser endomicroscopy in the gastrointestinal tract. *Aliment Pharmacol Ther*, 31(5), 548–552.

Wallace, M. B., Sharma, P., Lightdale, C., Wolfsen, H., Coron, E., Buchner, A., et al. (2010). Preliminary accuracy and interobserver agreement for the detection of intraepithelial neoplasia in Barrett's esophagus with probe-based confocal laser endomicroscopy. *Gastrointest Endosc*, 72(1), 19–24.

2009

De Palma, G. - D. (2009). Confocal laser endomicroscopy in the "in vivo" histological diagnosis of the gastrointestinal tract. *World J Gastroenterol*, 15(46), 5770–5775.

Meining, A. (2009). Confocal endomicroscopy. *Gastrointest Endosc Clin N Am*, 19(4), 629–635.

Meining, A., Phillip, V., Gaa, J., Prinz, C., & Schmid, R. M. (2009). Pancreaticoscopy with miniprobe-based confocal laser-scanning microscopy of an intraductal papillary mucinous neoplasm. *Gastrointest Endosc*, 69(6), 1178–1180.

Monkemuller, K., Neumann, H., & Fry, L. C. (2009). Endoscopic examination of the small bowel: from standard white light to confocal endomicroscopy. *Clin Gastroenterol Hepatol*, 7(2), e11–2.

Wallace, M. B. (2009). Advances in imaging and technology of pre-invasive neoplasia: the big (and small) picture. *Gastroenterology*, 137(5), 1582–1583.

Wallace, M. B., & Fockens, P. (2009). Probe-based confocal laser endomicroscopy. *Gastroenterology*, 136(5), 1509–1513.

2008

Becker, V., Vieth, M., Bajbouj, M., Schmid, R. M., & Meining, A. (2008). Confocal laser scanning fluorescence microscopy for in vivo determination of microvessel density in Barrett's esophagus. *Endoscopy*, 40(11), 888–891.

Becker, V., von Delius, S., Bajbouj, M., Karagianni, A., Schmid, R. M., & Meining, A. (2008). Intravenous application of fluorescein for confocal laser scanning microscopy: evaluation of contrast dynamics and image quality with increasing injection-to-imaging time. *Gastrointest Endosc*, 68(2),

319–323.

Hsiung, P. L., Hardy, J., Friedland, S., Soetikno, R., Du, C. B., Wu, A. P., et al. (2008). Detection of colonic dysplasia in vivo using a targeted heptapeptide and confocal microendoscopy. *Nat Med*, 14(4), 454–458.

Meining, A., & Wallace, M. B. (2008). Endoscopic imaging of angiogenesis in vivo. *Gastroenterology*, 134(4), 915–918.

Meining, A., Frimberger, E., Becker, V., Delius, S. V., Weyhern, C. H., Schmid, R. M., et al. (2008). Detection of Cholangiocarcinoma In Vivo Using Miniprobe-Based Confocal Fluorescence Microscopy. *Clin Gastroenterol Hepatol*, 6(9), 1057–1060.

Pohl, H., Rosch, T., Vieth, M., Koch, M., Becker, V., Anders, M., et al. (2008). Miniprobe confocal laser microscopy for the detection of invisible neoplasia in patients with Barrett's esophagus. *Gut*, 57(12), 1648–1653.

2007

Becker, V., Vercauteran, T., von Weyern, C. H., Prinz, C., Schmid, R. M., & Meining, A. (2007). High Resolution Miniprobe-based Confocal Microscopy in Combination with Video-mosaicing. *Gastrointestinal Endoscopy*, 66(5), 1001–1007.

Meining, A., Bajbouj, M., & Schmid, R. M. (2007). Confocal Fluorescence Microscopy for Detection of Gastric Angiodysplasia. *Endoscopy*, 39(S 1), E145.

Meining, A., Bajbouj, M., von Delius, S., & Prinz, C. (2007). Confocal Laser Scanning Microscopy for in vivo Histopathology of the Gastrointestinal Tract. *Arab Journal of Gastroenterology*, 8(1), 1–4.

Meining, A., Saur, D., Bajbouj, M., Becker, V., Peltier, E., Höfler, H., et al. (2007). In Vivo Histopathology for Detection of Gastrointestinal Neoplasia with a Portable, Confocal Miniprobe: An Examiner Blinded Analysis. *Clinical Gastroenterology and Hepatology*, 5(11), 1261–1267.

Meining, A., Schwendy, S. B. V., Schmid, R. M., & Prinz, C. (2007). In Vivo Histopathology of Lymphocytic Colitis. *Gastrointestinal Endoscopy*, 66(2), 398–400.

Miehlke, S., Morgner, A., Aust, D., Madisch, A., Vieth, M., & Baretton, G. (2007). Combined use of narrow-band imaging magnification endoscopy and miniprobe confocal laser microscopy in neoplastic Barrett's esophagus. *Endoscopy*, 39, E316.

Morgner, A., Stolte, M., & Miehlke, S. (2007). Visualization of lymphoepithelial lesions in gastric mucosa-associated lymphoid tissue-type lymphoma by miniprobe confocal laser microscopy. *Clin Gastroenterol Hepatol*, 5(9), e37.

Wang, T. D., Friedland, S., Sahbaie, P., Soetikno, R., Hsiung, P. - L., Liu, J. T. C., et al. (2007). Functional Imaging of Colonic Mucosa with a Fibered Confocal Microscope for Real-time In Vivo Pathology. *Clinical Gastroenterology and Hepatology*, 5(1), 1300–1305.

Conference Proceedings

2009

Schwarz, F., Le Nevez, A., Genet, M., Osdoit, A., & Lacombe, F. (2009). Deep high-resolution fluorescence microscopy of full organs: the benefit of ultraminiature confocal miniprobes. In G. J. Tearney, & T. D. Wang (Eds.), *Proc. SPIE - Endoscopic Microscopy IV* (Vol. 7172, 71720G). SPIE.

2006

Osdoit, A., Genet, M., Perchant, A., Loiseau, S., Abrat, B., & Lacombe, F. (2006). In vivo fibered confocal reflectance imaging: totally non-invasive morphological cellular imaging brought to the endoscopist. In G. J. Tearney, & T. D. Wang (Eds.), *Endoscopic Microscopy* (Vol. 6082, pp. 608208–608210). San Jose, CA, USA: SPIE.

Vielleroibe, B., Osdoit, A., Cave, C., Lacombe, F., Loiseau, S., & Abrat, B. (2006). Mauna Kea Technologies' F400 prototype: a new tool for in vivo microscopic imaging during endoscopy. In G. J. Tearney, & T. D. Wang (Eds.), *Endoscopic Microscopy* (Vol. 6082, 60820c). SPIE.